



LIST PRICE

FLEXIBLE CABLES - SINGLE CORE

Finolex PVC Insulated Unsheathed Single Core Bright Annealed Bare Copper Conductor Flexible Cables for Voltage grade upto 1100 V conforming to IS:694/1990 upto 50 sqmm and generally conforming to IS:694/1990 from 70 sqmm and above.

| **Product Code | Conductor Area (sqmm) | List Price per 100 M Rs. | Packing |
|----------------|----------------------------|-----------------------------|---------|
|----------------|----------------------------|-----------------------------|---------|

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

| | | | |
|-------|------|------|--|
| 14001 | 0.50 | 475 | Cables shall be supplied in Standard length of 100 M |
| 14002 | 0.75 | 695 | |
| 14003 | 1.00 | 890 | |
| 14104 | 1.50 | 1315 | |
| 14105 | 2.50 | 2135 | |
| 14206 | 4.00 | 3320 | |

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

| | | | |
|-------|-------|--------|--|
| 14207 | 6 | 4880 | Cables shall be supplied in Standard length of 100 M |
| 14208 | 10 | 8500 | |
| 14209 | 16 | 13400 | |
| 14210 | 25 | 20995 | |
| 14211 | 35 | 29090 | |
| 14212 | 50 | 41335 | |
| 14513 | 70 | 60080 | |
| 14514 | 95 * | 79180 | |
| 14515 | 120 * | 101660 | |
| 14516 | 150 * | 125560 | |
| 14517 | 185 * | 155730 | |
| 14518 | 240 * | 203640 | |

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

| NOTES : | |
|-------------------|---|
| 1. PRICES | GST extra as applicable. |
| 2. PRINTING | Finolex Cables are printed with Company Name , Logo, Size(sqmm) |
| 3. DELIVERY | F.O.R. any station in India by road transport. |
| 4. PRODUCT CODE** | The full product code is of 8 digits. For example : 142 07 01 4 - 6.0 sqmm BLK 100M |
| | a) First three digits represent Dia of Single Core Flexible conductor i.e 140 to 145 |
| | b) Next two digits represent Size in Sq mm i.e. 01=0.5 sqmm, 02=.75,03=1.0, 04=1.5, 05=2.5, 06=4.0, 07=6.0 , 08=10.0, 09=16.0,10=25,11=35,12=50, 13=70, 14=95, 15=120, 16=150, 17=185, 18=240 sqmm. |
| | c) Next two digits represent Colour i.e. 01=Blk, 02=Blue, 04= Brn, 05=Grn, 07=Grey, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13= Yel, 14=Yel/Grn |
| 5. ALTERATION | d) Last digit is for length in metres i.e. 1 = Mtrs (non standard length), 4 = 100 M coil, 5=200 M coil, 9=500 M coil |
| | This Price List supersedes all our earlier price lists and is subject to change without notice. |





LIST PRICE
FLEXIBLE CABLES - MULTICORE

Finolex PVC Insulated & PVC Round Sheathed Multicore Bright Annealed Bare Copper Conductor Flexible Cables for Voltage grade upto 1100 V as per IS:694/1990

| **Product Code | Conductor Area (sqmm) | List Price per 100 M Rs. | Packing |
|----------------|----------------------------|-----------------------------|---------|
|----------------|----------------------------|-----------------------------|---------|

TWO CORES: Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

| | | | |
|-------|------|------|--|
| 17002 | 0.50 | 1535 | Cables shall be supplied in Standard length of 100 M |
| 17002 | 0.75 | 2060 | |
| 17002 | 1.00 | 2475 | |
| 17102 | 1.50 | 3225 | |
| 17102 | 2.50 | 5140 | |
| 17202 | 4.00 | 7905 | |

THREE CORES : The single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

| | | | |
|-------|------|-------|--|
| 17003 | 0.50 | 1995 | Cables shall be supplied in Standard length of 100 M |
| 17003 | 0.75 | 2675 | |
| 17003 | 1.00 | 3280 | |
| 17103 | 1.50 | 4445 | |
| 17103 | 2.50 | 7150 | |
| 17203 | 4.00 | 11060 | |

FOUR CORES : Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

| | | | |
|-------|------|-------|--|
| 17004 | 0.50 | 2540 | Cables shall be supplied in Standard length of 100 M |
| 17004 | 0.75 | 3465 | |
| 17004 | 1.00 | 4240 | |
| 17104 | 1.50 | 5800 | |
| 17104 | 2.50 | 9340 | |
| 17204 | 4.00 | 14380 | |

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Ylw/Green is for earthing. Colour of sheath - Black.

SIX CORES * (There will be one dummy core in the centre)

| | | | |
|-------|------|-------|--|
| 17006 | 0.50 | 3640 | Cables shall be supplied in Standard length of 100 M |
| 17006 | 0.75 | 5080 | |
| 17006 | 1.00 | 6235 | |
| 17106 | 1.50 | 8790 | |
| 17106 | 2.50 | 14405 | |
| 17206 | 4.00 | 22000 | |

SEVEN CORES (1 + 6) *

| | | | |
|-------|------|-------|--|
| 17007 | 0.50 | 4195 | Cables shall be supplied in Standard length of 100 M |
| 17007 | 0.75 | 5770 | |
| 17007 | 1.00 | 7240 | |
| 17107 | 1.50 | 10020 | |
| 17107 | 2.50 | 16010 | |
| 17207 | 4.00 | 25095 | |





LIST PRICE
FLEXIBLE CABLES - MULTICORE

| **Product Code | Conductor Area (sqmm) | List Price per 100 M Rs. | Packing |
|----------------|----------------------------|-----------------------------|---------|
|----------------|----------------------------|-----------------------------|---------|

EIGHT CORES *

| | | | |
|-------|------|-------|--|
| 17008 | 0.50 | 4725 | Cables shall be supplied in Standard length of 100 M |
| 17008 | 0.75 | 6535 | |
| 17008 | 1.00 | 8105 | |
| 17108 | 1.50 | 11470 | |
| 17108 | 2.50 | 18220 | |
| 17208 | 4.00 | 28430 | |

TEN CORES : (2 + 8) *

| | | | |
|-------|------|-------|--|
| 17010 | 0.50 | 5655 | Cables shall be supplied in Standard length of 100 M |
| 17010 | 0.75 | 8000 | |
| 17010 | 1.00 | 10135 | |
| 17110 | 1.50 | 13995 | |
| 17110 | 2.50 | 22610 | |
| 17210 | 4.00 | 35280 | |

TWELVE CORES : (3 + 9) *

| | | | |
|-------|------|-------|--|
| 17012 | 0.50 | 6720 | Cables shall be supplied in Standard length of 100 M |
| 17012 | 0.75 | 9430 | |
| 17012 | 1.00 | 11950 | |
| 17112 | 1.50 | 16527 | |
| 17112 | 2.50 | 26925 | |
| 17212 | 4.00 | 41930 | |

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES : (4 + 10) *

| | | | |
|-------|------|-------|--|
| 17014 | 0.50 | 7790 | Cables shall be supplied in Standard length of 100 M |
| 17014 | 0.75 | 10780 | |
| 17014 | 1.00 | 13680 | |
| 17114 | 1.50 | 19275 | |
| 17114 | 2.50 | 31205 | |
| 17214 | 4.00 | 48545 | |

SIXTEEN CORES (5 + 11) *

| | | | |
|-------|------|-------|--|
| 17016 | 0.50 | 8795 | Cables shall be supplied in Standard length of 100 M |
| 17016 | 0.75 | 12405 | |
| 17016 | 1.00 | 15705 | |
| 17116 | 1.50 | 21905 | |
| 17116 | 2.50 | 35660 | |
| 17216 | 4.00 | 55455 | |

NINETEEN CORES (1 + 6 + 12) *

| | | | |
|-------|------|-------|--|
| 17019 | 0.50 | 10255 | Cables shall be supplied in Standard length of 100 M |
| 17019 | 0.75 | 14515 | |
| 17019 | 1.00 | 18650 | |
| 17119 | 1.50 | 25960 | |
| 17119 | 2.50 | 41680 | |
| 17219 | 4.00 | 65235 | |

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.





LIST PRICE

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

Finolex PVC Insulated & PVC Round Sheathed Multicore Bright Annealed Bare Copper Conductor Flexible Cables for Voltage grade upto 1100 V generally conforming to IS:694/1990.

| **Product Code | Conductor Area (sqmm) | List Price per 100 M Rs. | Packing |
|----------------|----------------------------|-----------------------------|---------|
|----------------|----------------------------|-----------------------------|---------|

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

| Product Code | Conductor Area (sqmm) | List Price per 100 M (Rs.) | Packing |
|--------------|-----------------------|----------------------------|--|
| 17203074 | 6 | 16570 | Cables shall be supplied in Standard length of 100 M |
| 17203084 | 10 | 27690 | |
| 17203094 | 16 * | 42645 | |
| 17203104 | 25 * | 66690 | |
| 17203114 | 35 * | 92900 | |
| 17203124 | 50 * | 133645 | |
| 17503134 | 70 * | 192365 | |
| 17503144 | 95 * | 254755 | |
| 17503154 | 120 * | 326895 | |

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

| Product Code | Conductor Area (sqmm) | List Price per 100 M (Rs.) | Packing |
|--------------|-----------------------|----------------------------|--|
| 17204074 | 6 | 21670 | Cables shall be supplied in Standard length of 100 M |
| 17204084 | 10 | 36445 | |
| 17204094 | 16 * | 54680 | |
| 17204104 | 25 * | 88420 | |
| 17204114 | 35 * | 121585 | |
| 17204124 | 50 * | 174425 | |
| 17504134 | 70 * | 253145 | |
| 17504144 | 95 * | 336170 | |
| 17504154 | 120 * | 425535 | |

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

| NOTES : | |
|-------------------|---|
| 1. PRICES | GST extra as applicable. |
| 2. PRINTING | Finolex Cables are printed with Company Name , Logo, Size(sqmm) |
| 3. DELIVERY | F.O.R. any station in India by road transport. |
| 4. PRODUCT CODE** | The full product code is of 8 digits. For example : |
| | 17203094 = 3 core 16 sqmm 100M |
| | 17504134 = 4 core 70 sqmm 100M |
| | a) First three digits represents Dia of Multicore Flexible conductor Dia i.e. 172 to 175 b) Next two digits represent no. of cores i.e. 03 = 3 cores, 04 = 4 cores. c) Next two digits represent Size in Sq mm i.e. 07=6.0 sqmm , 08=10.0, 09=16.0,10=25,11=35,12=50 sqmm,13=70, 14=95, 15=120 sq. mm. d) Last digit is for length in metres i.e. 1 = Mtrs(non standard length) , 4 = 100m coil. |
| 5. ALTERATION | This Price List supersedes all our earlier price lists and is subject to change without notice. |



Regd. Office : 26-27, Mumbai-Pune Road, Pimpri, Pune 411 018, India.

Tel : 020-27475963. Fax : 020-27470260, 27470344. Visit us at : www.finolex.com Email : sales@finolex.com CIN: L31300MH1967PLC016531