



# HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



## LT Power Cables - Aluminium conductor

PRICE LIST Dated: 1st November 2018

**HAVELLS BRAND** Power Cables, Solid Aluminum conductor up to 10 sqmm & balance stranded conductor, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Aluminium wire for single core up to 70 sqmm & balance Aluminium strip, Galvanised wire for cables upto 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip) extruded PVC Type ST2 Outer sheathed, 650/1100V grade as per IS 7098(Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWaY A2XFaY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		53	57		63		81	89		102
6		59	67		80		94	103		117
10		70	87		102		112	130		146
16	40	84	111		136	73	128	138		166
25	57	118	161	184	196	94	144	187	210	227
35	67	140	194	222	246	107	167	224	252	280
50	89	184	260	300	330	133	212	288	333	368
70	115	241	350	403	447	165	277	378	441	486
95	158	327	438	507	567	188	359	474	538	598
120	197	389	539	633	704	225	425	580	670	750
150	238	472	668	764	874	267	514	697	815	920
185	291	587	825	956	1078	324	637	846	983	1110
240	365	779	1055	1217	1382	398	828	1082	1237	1417
300	447	962	1297	1496	1689	485	1009	1307	1516	1708
400	588	1233	1628	1887	2131	609	1270	1700	1965	2230
500	700	1550	2122	2453	2767	834	1680	2252	2624	2945
630	834	1954	2812	3326	3733	973	2114	2985	3565	3984
800	1169					1341				
1000	1374					1547				

### EXTRAS FOR SPECIAL CONSTRUCTION:

	Cable Size (Sq.mm)	FRLS Loading Factor		LSZH Loading			
		Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
a) Round Wire Armouring							
- 2 x 16 & above	25.00%		Armd.   Unarmd.				
- 3 x 16 & 3.5CX25 & above	25.00%	Power (Al.)					
- 4 x 10 & above	25.00%	Upto 16	10.0%	7.5%	7.5%	15%	20%
- For Single core 95 & above	25.00%	25 - 50	7.5%	7.5%	7.5%	12.5%	15%
b) Stranding 10 sq.mm and below	10.00%	70 & above	5.0%	5.0%	5.0%	15%	12.5%
c) Extruded PVC Innersheath Up 50	5.00%	Power Single Core (Al.)					
Extruded PVC Innersheath 70 & Above	2.50%	Upto 16	-N.A-	10.0%	10.0%	-N.A-	25%
d) HR PVC Insulation	10.00%	25 - 50	-N.A-	10.0%	10.0%	-N.A-	20%
e) HR PVC Inner Sheath	5.00%	70 & above	-N.A-	7.5%	7.5%	-N.A-	17.5%
f) HR PVC Outer Sheath	5.00%						
g) Oxygen Index (FR)	2.50%						
h) PVC Insulated Cables	8.00%						

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



# HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



## LT Power and Control Cables - Copper conductor

PRICE LIST Dated: 1st November 2018

**HAVELLS BRAND** Power/Control Copper Cables, Solid Copper conductor upto 6 sqmm & balance Stranded Copper, XLPE Insulated, cores laid up, PVC Innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 10x1.5 sqmm, 8x2.5 sqmm, 2x10 sqmm, 3x10 sqmm, 4x6 sqmm & balance all galvanised steel strip), extruded PVC Type ST2 Outer Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XWaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		115	162		209		146	185		234
6		163	231		302		195	254		327
10		269	381		499		303	408		525
16	196	385	563		744	211	432	576		757
25	302	591	885	1068	1170	349	659	944	1137	1244
35	416	818	1224	1409	1621	473	901	1299	1491	1715
50	569	1119	1680	1965	2225	640	1223	1771	2071	2346
70	809	1591	2398	2796	3208	901	1731	2516	2931	3361
95	1087	2214	3331	3889	4461	1266	2485	3612	4220	4835
120	1373	2786	4191	4992	5628	1591	3117	4540	5407	6085
150	1715	3477	5241	6042	7035	1979	3886	5666	6534	7595
185	2111	4286	6458	7552	8665	2436	4782	6972	8152	9340
240	2721	5527	8335	9717	11185	3126	6151	8982	10470	12039
300	3389	6894	10392	12120	13952	3898	7660	11183	13043	15001
400	4457	9051	13646	15790	18330	5107	10042	14674	16969	19682
500	5628					6444				
630	7090					8110				
800	8997					10276				
1000	11242					12827				

### CONTROL CABLES

(Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
	2	59	84	87		109	14	281	436
3	74	108	103	138	16	318	499	358	542
4	93	138	123	172	19	374	590	415	634
5	110	165	144	206	24	473	742	519	796
6	130	198	164	239	27	529	830	579	886
7	148	227	182	270	30	606	951	664	1021
8	172	259	206	304	37	740	1166	809	1247
10	206	319	264	356	44	878	1401	983	1542
12	243	379	304	416	61	1207	1926	1342	2102

### EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%	E) OXYGEN INDEX (FR)	2.50%
B) Stranding (Upto 6 SQ.MM)	4.00%	F) HR PVC INSULATION	7.00
C) Extruded Innersheath	2.50%	G) HR PVC I.SH/O/SH.	5.00% ( Each )
D) Round Wire Armouring		H) FRLS Loading-Power Cable (upto 6 sq.mm)	7.50%
1C x 95 sq. mm & above	7.50%	I) FRLS Loading-Power Cable(10sq.mm & above)	4.00%
1.5 sq.mm - 12 core & above	15.00%	J) PVC Insulated Cables	5%
2.5 sq.mm - 9 core & above	15.00%		
10 sq.mm - 4 core & above	15.00%		
16 sq.mm - 2 core & above	15.00%		
16 sq.mm - 3 core & above	15.00%		

FRLS Loading Factor- Control Cable				LSZH Loading	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmrd		
2 - 4	5.0%	6.0%	6.0%	15.0%	15.0%
5 - 10	5.0%	4.0%	4.0%	15.0%	15.0%
12 & Above	5.0%	4.0%	4.0%	12.5%	12.5%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



# HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



## HT Single Core Power Cables - Aluminium conductor

PRICE LIST Dated: 1st November 2018

**HAVELLS BRAND** STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL ROUND WIRE ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XWaY						
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			251				
50			277				
70	290	298	316				
95	329	334	352	461	477	637	
120	371	375	399	530	537	702	
150	414	420	439	575	584	732	867
185	476	488	526	668	684	813	951
240	588	599	659	768	786	920	1128
300	682	701	772	865	886	1079	1243
400	816	849	921	1024	1047	1232	1422
500	1029	1079	1116	1279	1279	1514	1642
630	1274	1297	1331	1518	1518	1773	1921
800	1580	1593	1616	1774	1774	2030	2308
1000	1905	1913	2104	2308	2308	2469	2652

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



# HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



## HT Single Core Power Cables - Aluminium conductor

### PRICE LIST Dated: 1st November 2018

**HAVELLS BRAND** STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, **AL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART- 2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XFaY						
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV( E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			239				
50			262				
70	276	283	302				
95	313	316	336	436	453	606	
120	352	355	378	505	510	665	
150	393	398	415	547	556	695	825
185	452	464	498	634	651	773	903
240	559	570	627	730	748	874	1072
300	648	664	732	823	840	1024	1181
400	775	807	876	973	996	1171	1352
500	976	1024	1061	1217	1217	1437	1559
630	1211	1232	1264	1445	1445	1684	1826
800	1501	1515	1535	1685	1685	1929	2195
1000	1810	1818	1996	2195	2195	2353	2519

#### EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.



# HAVELLS INDIA LIMITED

Corp. Office : QRG Towers, 2 D, Sector 126, Noida 201304 (UP), Ph : 0120-4771000

E Mail : Marketing@havells.com,



## HT Three Core Power Cables - ALuminium conductor

PRICE LIST Dated: 1st November 2018

**HAVELLS BRAND** STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE, CORES LAID UP, INNERSHEATH OF PVC, **GALVANISED STEEL FLAT STRIP ARMoured** , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 (PART-2) 2011 WITH UPTO DATE AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	A2XFY						
	3.3 KV (E/UE)	6.6 KV( E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35			579				
50			654				
70	681	727	777				
95	825	866	920	1189	1238	1650	
120	970	1012	1060	1383	1413	1883	
150	1095	1141	1185	1528	1558	1993	2367
185	1291	1316	1410	1708	1746	2201	2621
240	1529	1592	1690	2010	2047	2518	2973
300	1806	1899	1924	2310	2348	2828	3315
400	2196	2375	2419	2717	2765	3275	3813

### EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5.0%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

- The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- This Price Lists supersedes all our earlier price list. This Price List is subject to change without prior notice.