



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

Telephone Switchboard Cables

Submersible Cables

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

CCTV Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	1965	5995	87000
RG - 6	2390	7290	94000
RG - 11	5100	15555	135000
RG-6 CCS	1640	5000	84000
RG-11 CCS	3225	9835	122000

POLYCAB LAN (COMPUTER) CABLES

Polycab 4 Pair <u>Unshielded</u> Twisted Pair (UTP) LAN (Computer) Cables			Polycab 4 Pair Foiled Twisted Pair (FTP) LAN (Computer) Cables	
	Unarmoured - Price per 305 m	Flexible Armoured- Price per 1000m	Unarmoured - Price per 305 m	Flexible Armoured- Price per 1000m
CAT 5 E	8850	88000	12500	104000
CAT 6	10000	96000	14050	121000
CAT 6 - A (GOLD)	13750	109000	18720	135000



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	655	880	590	790	20
2 Pair	1090	1525	980	1370	20
3 Pair	1606	2250	1445	2025	16
4 Pair	2061	2945	1855	2650	12
5 Pair	2522	3683	2270	3315	8
10 Pair	5060	7180	4550	6460	1
20 Pair	9350	13400	8415	12050	1
50 Pair		34200			1
100 Pair		66400			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	7665	8050	7250
2.5	12400	13000	11700
4	18200	19100	17700
6	26700	28000	25900
10	45400	47700	
16	70800	74300	
25	111300	116900	
35	152800	160400	

**POLYCAB INDIA LIMITED**

LDC LP No. 08/2020-21 Dtd : 20th November 2020

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	6590	7935	9510	11100
0.75	24/.2	8	9350	10800	13500	15800
1	32/.2	13	11900	13850	17000	20100
1.5	30/.25	17	16600	19300	23500	28100
2.5	50/.25	24	27800	32500	40800	47900
4	56/.3	30	43900	50900		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	13300	14900	17300	21600
0.75	24/.2	8	18600	21000	24100	30500
1	32/.2	13	23500	26900	31500	39700
1.5	30/.25	17	32600	37200	43800	55200
2.5	50/.25	24	56000	64000	75900	94500

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables					CCTV Cables (Price in Rs./90m)	
Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables	CCTV Cables 4+1	CCTV Cables 3+1
mm ²	No/mm		Rs/100 Mtr.	Rs/100 Mtr.	3910	3470
6	84/0.3	55	10400	14300	CCTV Armoured Cables (Price in Rs./Km.)	
10	80/0.4	75	17400	24300	CCTV 4+1 Armoured	116000
16	126/0.4	103	25800	30200		
25	196/0.4	126	41100	46300		
35	276/0.4	152	56200	62200		
50	396/0.4	189	78300	86500		
70	354/0.5	240	108000	118900		
95	484/0.5	297	146300	152700		
120	608/0.5	346	185000	193200		
150	750/0.5	390	231200	241500		
185	925/0.5	460	282000	290900		
240	1210/0.5	552	366500	383600		
300	1527/0.5	640	456900	482700		
400	2036/0.5	753	609400	639600		



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	795	24
0.75	24/.2	8	1150	24
1	32/.2	13	1505	20
1.5	30/.25	17	2125	16
2.5	50/.25	24	3490	12
4	56/.3	30	5465	8
6	84/.3	38	8070	6
10	80/.4	52	14200	1
16	126/.4	70	21700	1
25	196/.4	88	34900	1
35	276/.4	110	48300	1
50	396/.4	145	68400	1
70	354/.5	215	96800	1
95	484/.5	260	128400	1
120	608/.5	305	176600	1
150	750/.5	355	217300	1
185	925/.5	415	269400	1
240	1210/.5	500	352300	1
300	1527/.5	585	436000	1
400	2036/.5	695	580300	1
500			732600	1
630			923700	1

Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
2480	3335	4255	5	5260	6345
3395	4460	5735	5	7460	9000
4300	5700	7250	5	9570	11500
5430	7530	9900	5	12900	15400
8705	12300	16000		21100	25500
12900	18600	24300		33900	40200
19000	27400	35900		49800	59300
32400	46800	61400		86700	102300
51900	74100	97700		138800	
83700	121300	160600		219800	
116300	169000	222600		304000	
173600	239500	316500		440600	
234800	334200	442100		609000	
	454900	596300			
	581100	765500			
	720100	947500			
	865500	1147100			
	1140800	1509600			
	1418200	1796200			
	1890900	2395200			

**POLYCAB INDIA LIMITED****POLYCAB****LDC LP No. 08/2020-21 Dtd : 20th November 2020****Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	7085	8530	10200	12000
0.75	24/.2	8	10100	11600	14500	17000
1	32/.2	13	12800	14900	18300	21600
1.5	30/.25	17	17400	20300	24700	29500
2.5	50/.25	24	29200	34100	42800	50300
4	56/.3	30	46100	53500		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	14300	16000	18600	23200
0.75	24/.2	8	20000	22600	25900	32800
1	32/.2	13	25300	28900	33900	42700
1.5	30/.25	17	34200	39100	46000	58000
2.5	50/.25	24	58800	67300	79700	99200



POLYCAP SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618

Size in Sq.mm.	Price in Rs./100 Mtr.
4	6535
6	9300
10	15400
16	23700
25	36700
35	50900
50	72700
70	102400
95	134100
120	170200
150	212600
185	260400
240	342500
300	429700

Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables

Size in Sq.mm.	Price in Rs./100 Mtr.
4	5800
6	8400
10	14300
16	22200
25	35900
35	49800
50	71100

Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabalized PVC Sheathed Single Core Solar Cables

Size in Sq.mm.	Price in Rs./100 Mtr.
4	5655
6	8300
10	14200
16	21900
25	33700
35	47100
50	67800

POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	4300	5000	6100	7800	11800
3	5400	6800	8000	10600	16200
4	6500	8200	10100	13600	20800
5	7600	10100	12900	16500	25500
6	8800	11300	14400	19300	30000
7	9700	13200	16500	22400	34000
8	11300	14800	18400	25200	38400
10	13600	17400	21800	30000	47800
12	15800	20500	25700	35800	56400
14	17900	23100	29500	40800	65400
16	20000	26400	33600	46500	76700
19	23400	30400	39100	54500	88900
24	29300	38800	49200	68700	111300

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 3% Extra Charges for Drum Packing



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	6200	7400	8500	10700	15000	24500	36000	51500	77000		
3	7000	9400	10700	14200	20500	29800	42400	71000	109500	180500	242000
4	8600	11000	13300	17100	26400	38400	55000	92800	148000	235000	321000
5	12200	14100	15800	20800	32000						
6	13200	16500	19200	23800	40000						
7	13800	18000	20800	28800	42800						
8	15800	19500	23500	32000	49700						
10	17500	23500	29800	38200	64000						
12	21300	26100	32500	42600	71400						
14	27000	30000	38100	51000	85400						
16	30000	35200	42400	59200	99200						
19	33000	39000	52800	69600	123500						
24	36000	47200	63200	81400	147800						

**POLYCAR INDIA LIMITED**

LDC LP No. 08/2020-21 Dtd : 20th November 2020

POLYCAR MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor, PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	6000	7300	8400	10400	15100	20900	29000
3	7300	9000	10600	13600	19800	28300	39800
4	8700	11000	12900	16800	25000	36500	51700
5	10100	12800	15600	20300	30400		
6	11500	15000	18000	23500	35600		
7	12400	16200	19800	26200	39800		
8	14200	18400	22300	30000	45400		
10	17100	22800	27400	36500	56100		
12	19400	25900	31600	42400	65700		
14	22100	29500	36000	48900	75600		
16	24600	33000	40700	55000	86200		
19	28300	38200	47600	64500	100500		
24	35400	47700	59500	81000	126200		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	46200	68700	104500	142000	201000	275000	368500
3	64300	96800	148800	203000	288400	398100	532400
4	83700	126800	196000	267800	380000	525100	704000

Note : 3% Extra Charges for Drum Packing

POLYCAR INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	1650	23/38	1285	0.5 Sq.mm	1545	1.5 Sq.mm	4030
40/36	2580	40/38	1975	0.75 Sq.mm	2220	2 Sq.mm	6220
70/36	4460	70/38	3060	1 Sq.mm	2795	2.5 Sq.mm	6715

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAR INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFr Insulation Price/100m (Rs)
16	120	509/0.2	27600
25	160	796/0.2	40900
35	230	1115/0.2	57600
50	400	703/0.3	81800
70	600	999/0.3	113800
95	700	1346/0.3	153500
120	1100	1699/0.3	190100



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS
SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS
694

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	470
2.5	745
4	1050
6	1450
10	2425
16	3550
25	5500
35	7550
50	8570
70	11200
95	19900

POLYCAB PVC INSULATED AND SHEATHED TWIN CORE FLAT & THREE
CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID
ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	2235
2 Core	4	3190
2 Core	6	4445
2 Core	10	6950
2 Core	16	9735
3 Core	2.5	3795
3 Core	4	5000
3 Core	6	5865
3 Core	10	10900
3 Core	16	14500
4 Core	2.5	4665
4 Core	4	6545
4 Core	6	9200
4 Core	10	13700
4 Core	16	18100



POLYCAB INDIA LIMITED

LDC LP No. 08/2020-21 Dtd : 20th November 2020

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	42	53	66	89	144	221
4	55	70	89	121	191	296
5	79	103	134	174	276	412
6	91	125	161	207	333	499
7	107	145	186	237	384	579
8	124	164	211	276	442	666
9	142	193	247	315	512	758
10	158	215	272	349	563	849
12	186	254	322	415	673	1008
14	226	299	382	494	791	1190
16	254	345	440	563	908	
18	280	381	489	630	1004	
24	380	516	669	849	1351	

**POLYCAB INDIA LIMITED**

LDC LP No. 08/2020-21 Dtd : 20th November 2020

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	15.40
20	0.556	20.00
18	0.966	29.70
16	1.17	35.10
14	2.05	54.00
12	3.22	78.30
10	5.33	111
8	8.76	173
6	13.30	257
4	21.50	405
2	33.30	621
1	40.70	751
0	53.00	975
00	68.30	1242
000	84.20	1539
0000	109	1979